



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/710,282	06/30/2004	Isaac Zolotarev	81101089 / FMC 1761 PUSP	4281
28395 7590 05/03/2007 BROOKS KUSHMAN P.C./FGTL 1000 TOWN CENTER 22ND FLOOR SOUTHFIELD, MI 48075-1238			EXAMINER HONG, JOHN C	
			ART UNIT 3726	PAPER NUMBER
			MAIL DATE 05/03/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/710,282

Applicant(s)

ZOLOTAREV ET AL.

Examiner

JOHN C. HONG

Art Unit

3726

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 January 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) 15-20 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. **Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kimura (U.S. Patent 4741078) in view of Otani et al. (U.S. Patent 5205805) and Koczarski (U.S. Patent 4678378).**

Regarding Claim(s) 1, Kimura teaches a multi-function industrial robot manipulator (Fig. 1).

Kimura fails to teach : a spindle positioning apparatus for a robotic manipulator comprising: a mounting plate assembly; a first spindle disposed on the mounting plate assembly in a fixed position ; a second spindle disposed on the mounting plate assembly and movable with respect to the first spindle; and an actuator mechanism adapted to position the second spindle with respect to the first spindle.

Otani et al. teach : a spindle positioning apparatus for a robotic manipulator comprising: a mounting plate assembly (23); a first spindle and a second spindle (26) disposed on the mounting plate assembly in a fixed position ; and an actuator mechanism (24) adapted to position the spindles with respect to the first spindle (Fig. 2).

Koczarski teaches a second spindle (125) disposed on the mounting plate assembly and movable with respect to the first spindle (Fig.2).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kimura by adding the features of : a spindle positioning apparatus for a robotic manipulator comprising: a mounting plate assembly (23); a first spindle and a second spindle (26) disposed on the mounting plate assembly in a fixed position ; and an actuator mechanism (24) adapted to position the spindles with respect to the first spindle, as taught by Otani et al. ; and a second spindle (125) disposed on the mounting plate assembly and movable with respect to the first spindle, as taught by Koczarski so as to move the two spindles on the correct position for the operation.

Regarding Claim(s) 2, Koczarski teaches a movable plate (120) adapted to receive the second spindle (126) and movably attached to the fixed plate (Fig. 2).

Regarding Claim(s) 3, Otani et al. teach the first spindle (26) extends through the fixed plate (23) (Fig. 2) and Koczarski teaches the second spindle extends through the movable plate(120) (Fig. 2).

Regarding Claim(s) 4 and 5, Otani et al. teach the actuator mechanism (24) is disposed proximate the mounting plate assembly (23) and the actuator mechanism further comprises a ball screw assembly having a ball nut and a ball screw, and a servo motor adapted to rotate the ball screw to actuate the ball nut (Fig. 2).

Regarding Claim(s) 6, Koczarski teaches the ball nut is attached to the movable plate and the ball screw is attached to the fixed plate (Fig. 2).

Regarding Claim(s) 7, regarding the limitation of distance between the 1st and 2nd axes of rotation is in the range of 75 mm to 1400 mm, It would have been obvious matter of design choice to one of ordinary skill in the art at the time the invention was made to construct the

Art Unit: 3726

apparatus of Otani et al. with the distance between the 1st and 2nd axes of rotation is in the range of 75 mm to 1400 mm, because Applicant has not disclosed that the distance of 75 mm to 1400 mm provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the structure of the Otani's apparatus because it would perform the drilling.

Regarding Claim(s) 8, Otani et al. teach the first spindle is adapted to rotate about a first axis of rotation, the second spindle is adapted to rotate about a second axis of rotation, and the first and second axes of rotation are disposed parallel each other (Fig. 2).

3. Claims 9-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kimura (U.S. Patent 4741078) in view of Otani et al. (U.S. Patent 5205805) and Koczarski (U.S. Patent 4678378).

Regarding Claim(s) 9, Regarding Claim(s) 1, Kimura teaches a multi-function industrial robot manipulator (Fig. 1).

Kimura fails to teach a spindle positioning apparatus including: a first mounting plate having a first opening; a second mounting plate movably attached to the first mounting plate and having a second opening; a first spindle extending through the first opening and attached to the first mounting plate; a second spindle extending through the second opening and attached to the second mounting plate; and an actuator mechanism adapted to position the second spindle with respect to the first spindle.

Otani et al. teach : a spindle positioning apparatus including: a first mounting plate (55) having a first opening; a first spindle (56) extending through the first opening and attached to the first mounting plate (Fig. 3).

Koczarski teaches: a second mounting plate movably attached to the first mounting plate and having a second opening a second spindle extending through the second opening and attached to the second mounting plate; and an actuator mechanism adapted to position the second spindle with respect to the first spindle (Fig. 2).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kimura by adding the features of a spindle positioning apparatus including: a first mounting plate (55) having a first opening; a first spindle (56) extending through the first opening and attached to the first mounting plate, as taught by Otani et al. ; and a second mounting plate movably attached to the first mounting plate and having a second opening a second spindle extending through the second opening and attached to the second mounting plate; and an actuator mechanism adapted to position the second spindle with respect to the first spindle, as taught by Koczarski so as to move the two spindles on the correct position for the operation.

Regarding Claim(s) 11, Otani et al. teach the actuator mechanism further comprises a ball screw assembly having a ball nut and a ball screw, and a servo motor adapted to rotate the ball screw to actuate the ball nut (Fig. 2).

Regarding Claim(s) 12, Koczarski teach the ball nut is attached to the movable plate (46) and the ball screw is attached to the fixed plate (Fig. 2).

Regarding Claim(s) 13, regarding the limitation of distance between the 1st and 2nd axes of rotation is in the range of 75 mm to 1400 mm, It would have been obvious matter of design choice to one of ordinary skill in the art at the time the invention was made to construct the apparatus of Otani et al. with the distance between the 1st and 2nd axes of rotation is in the range

Art Unit: 3726

of 75 mm to 1400 mm, because Applicant has not disclosed that the distance of 75 mm to 1400 mm provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the structure of the Otani's apparatus because it would perform the drilling.

Regarding Claim(s) 14, Otani et al. teach first and second spindles include first and second tools, respectively, each adapted to engage a threaded part (Fig. 2).


Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN C. HONG whose telephone number is 571-272-4529. The examiner can normally be reached on M-F 9:00-17:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DAVID BRYANT can be reached on 571-272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

Art Unit: 3726

like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read 'John C Hong', written in a cursive style.

JOHN C HONG
Primary Examiner
Art Unit 3726

jh
April 20, 2007